

PRODUCT DESCRIPTION MFI-505 V.O.C. Accelerator is a universal reducer designed to increase productivity and thru-put when temperatures are 70°F (21.1°C) and below. It decreases cure times and dry-to-sand times as much as 50% with no effect on potlife and sprayability. Use with MFI Systems Industrial Topocats, DTM Enamel Primers and 1K DTM Enamel Primers. MFI-505 is only available in quarts.

MIXING

Shake MFI-505 Zero V.O.C. Accelerator thoroughly before use.

Mix coating according to manufacturer's instructions.

Add 1 capful (5%) of MFI-505 Accelerator to every 8 oz. of ready-to-spray material

APPLICATION

Apply coating according to manufacturer's instructions.

NOTES

- Not recommended for use in temperatures above 70°F (21.1°C)
- Use of this product does not affect flow, gloss or DOI of industrial topocats
- Use of this product does not affect sprayability, featheredging or sandability of primers

See Safety Data Sheet and labels for additional safety information and handling instructions.

- The contents of this package may have to be blended with other components before the product can be used. Before opening the packages, be sure you understand the warning messages on the labels and SDSs of all component, since the mixture will have the hazards of all its parts.
- Improper handling and use, for example, poor spray technique, inadequate engineering controls, and or lack of Personal Protective Equipment (PPE), may result in hazardous conditions or injury.
- Follow spray equipment manufacturer's instructions to prevent personal injury or fire.
- Provide adequate ventilation for health and fire hazard control.
- Follow company, product SDS and respirator manufacturer's recommendations for selection and proper use of respiratory protection. Be sure employees are adequately trained on the safe use of respirators per company and regulatory requirements.
- Wear appropriate PPE such as eye and skin protection. In the event of injury, see first aid procedures on SDS.
- Always observe all applicable precautions and follow good safety and hygiene practice.
- For additional health and safety information refer to the SDS which can be found at www.mfisystems.com